

## Vimentin

## IN VITRO DIAGNOSTIC DATASHEET

## INTENDED USE : IN VITRO DIAGNOSTIC USE

This product is intended for qualitative immunohistochemistry with normal and neoplastic formalin-fixed, paraffin-embedded tissue sections, to be viewed by light microscopy.

## **DESCRIPTION :**

Vimentin is the main intermediate filament protein in mesenchymal cells and is therefore of value in the differential diagnosis of undifferentiated neoplasms.

CATALOG NO : PL9120	PL9120-R7	7 ML RTU 70 TEST
STAINING PATTERN : Cytoplasmic	PL9120-R1 PL9120-1	1 ML RTU 10 TEST 1 ML 1/500 5000 TEST
	PL9120-0,1	0,1 ML 1/500 500 TEST
<b>POSITIVE CONTROL</b> : Sarcoma and melanoma		
<b>VOLUME :</b> 7 ml Ready to Use ( 7 ml of antibody prediluted in 0.05mol/L Tris-HCl, pH 7.6 containing stabilizing protein and 0.015mol/L sodium azide. )		
HOST : Rabbit		,
CLONE: V9		
ANTIBODY CONCENTRATION : Not known		
SPECIES REACTIVITY : Human. Others-not known		
EPITOPE : Not determined		
MICROBIOLOGICAL STATE : This product is not sterile.		
<b>PRETREATMENT</b> : No special pretreatment is required for immuno-histochemistry of formalin-fixed tissues.		
<b>PRIMARY ANTIBODY INCUBATION TIME :</b> 30 minutes at Room Temperature		
<b>STAINING TIPS :</b> If the staining is too light, use lower dilution or longer time. If the staining is too strong, check pretreatment, use higher dilution or shorter time.		
<b>STORAGE AND STABILITY :</b> This product contains sodium azide and is stable for 24 months when stored at 2-8°C. Do not use after expiration date indicated on label of the product. If reagent is not stored as recommended, performance must be validated by the user.		
<b>TROUBLESHOOTING :</b> Please contact Patolab Technical Support by e-mail (patolab@patolab.com.tr).		



IVD